2005





PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 2267.629US01

John B. Stoick et al.

Application No.:

10/001,708

Filed:

October 18, 2001

Group Art Unit: 3724

For:

DUAL CONTAINMENT TUBING CUTTER

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application Papers (copy attached) mailed

December 21, 2001, submitted herewith are 3 sheets of informal drawings.

Respectfully submitted,

Douglas J. Christensen Registration No. 35,480

Customer No. 24113

Patterson, Thuente, Skaar & Christensen, P.A.

4800 IDS Center

80 South 8th Street

Minneapolis, Minnesota 55402-2100

Telephone: (612) 349-3001

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on

Date of Deposit





PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 2267.629US01

John B. Stoick et al.

Application No.:

10/001,708

Filed:

October 18, 2001

Group Art Unit: 3724

For:

DUAL CONTAINMENT TUBING CUTTER

RESPONSE TO REQUEST FOR SUBSTITUTE PAPERS

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In response to the Request for Substitute Papers (copy attached) mailed July 12, 2002, submitted herewith is a complete and accurate copy of the papers mailed on February 19, 2002 for the above-referenced application. The papers being submitted are copies of the postcard, Response to Notice to File Corrected Application Papers, Notice to File Corrected Application Papers, and three (3) sheets of informal drawings.

Respectfully submitted.

Bradley J. Thorson

Registration No. P-52,288

Customer No. 24113

Patterson, Thuente, Skaar & Christensen, P.A.

4800 IDS Center, 80 South 8th Street

Minneapolis, Minnesota 55402-2100

Telephone: (612) 349-3001

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF FACSIMILE TRANSMISSION (37 C.F.R. 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being facsimile transmitted to Box Duplicate OIPE at 703-746-4060 at the U.S. Patent and Trademark Office.

ee Enchron



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trudemark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20211

Application Number	Filing Date	First Named Applicant	Atty. Docket No.
10/001,708	10/18/2001	Stoick, John	2267.629US01

24113 PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A. 4800 IDS CENTER 80 SOUTH 8TH STREET MINNEAPOLIS MN 55402-2100

RECEIVED

JUL 1 9 2002

PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A.

Title: Dual containment tubing cutter

Date Mailed: 07/12/2002

Request for Substitute Papers

The papers filed on 03/01/02 (certificate of mailing dated 02/19/02) are no longer in condition to become part of the permanent records of the United States Patent and Trademark Office (USPTO) for this application (37 CFR 1.52(a)) due to the United States Postal Service sanitization process.

The USPTO requests that applicant provide a copy of the above-identified papers (except for any U.S. or foreign patent documents submitted with the above-identified papers) with a statement that such copy is a complete and accurate copy of the above-identified papers (signing and returning a copy of this notice will provide such a statement). The reply to this letter should be submitted to the USPTO by facsimile at the number indicated 703-746-4060(OIPE).

Alternatively, the reply to this letter may be hand-carried to the Customer Service Window located in Room 1B03 of Crystal Plaza Building 2, Arlington, Virginia, 22202.

The USPTO strongly prefers that the reply to this letter be submitted by facsimile. However, if applicant cannot submit the reply to this letter by facsimile (or hand-delivery), the reply may be mailed to: Box Duplicate OIPE, U.S. Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202-2327.

This letter is not a notice under 37 CFR 1.251. However, failure to timely replay to this notice within two (2) weeks of the date of receipt of this letter may result in the USPTO issuing a notice under 37 CFR 1.251. A copy of this notice should be included with the reply.

The enclosed papers are a complete and accurate copy of the above-identified papers.


Registration No.: P-52, 288

Sub/Papes

diadline 8-2-02

Received from < 612 349 9266 > at 8/2/02 2:55:05 PM [Eastern Daylight Time]







United States Patent and Trademark Office

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231 www.uspto.pov

ATTORNEY DOCKET NUMBER FILING/RECEIPT DATE FIRST NAMED APPLICANT APPLICATION NUMBER John B. Stoick

10/18/2001 10/001,708

2267.629US01

CONFIRMATION NO. 2958 FORMALITIES LETTER

24113 PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A. 80 SOUTH 8TH STREET

4800 IDS CENTER

OC00000007225655*

EMINNEAPOLIS, MN 55402-2100

Ф

Ũ

Ñ

N

Date Mailed: 12/21/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

Received from < 612 349 9266 > at 8/2/02 2:55:05 PM [Eastern Daylight Time]



Ø 001





PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A.

4800 IDS Center 80 South 8th Street Minneapolis, Minnesota 55402 USA Telephone: (612) 349-5740

Toll Free: 1-800-331-4537 Facsimile: (612) 349-9266

FACSIMILE COVER SHEET

TOTAL NUMBER OF PAGES BEING SENT (INCLUDING COVER SHEET): 9					
Original Documents To Follow By Mail		No Originals Will Be Sent			
DATE:	August 2, 2002				
TO:	Box Duplicate OIPE U.S. Patent and Trademark Office	FAX #: 703-746-4060			
PHONE:	•				
YOUR REF .:	10/001,708	OUR REF.:	2267.629US01		
FROM:	Mr. Bradley J. Thorson	PHONE #:	612-349-5756		
COMMENTS	:				
	10/001,708 October 18, 2001 DUAL CONTAINMENT TUBING CUTTER				

THIS PACSIMILE TRANSMISSION CONTAINS LEGALLY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED FOR THE PARTY IDENTIFIED ABOVE. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE CALL PATTERSON, THUENTE, SKAAR & CHRISTENSEN COLLECT AT (612) 349-5740. DISTRIBUTION, REPRODUCTION OR ANY OTHER USE OF THIS TRANSMISSION BY ANY PARTY OTHER THAN THE INTENDED RECIPIENT IS STRICTLY PROHIBITED.

FACSIMILE SENT BY:

Applicant: John B. Stoick et al.





CONTRACTOR OF THE

COPY OF PAPERS ORIGINALLY FILED

The mail stamp of the Patent and Trademark Office on card acknowledges the filing on the date stamped of:

Response to Notice to File Corrected Application Papers; Three (3) sheets of drawings; and Postcard Receipt.

Applicant: John B. Stoick et al. Application No.: 10/001,708 File No.: 2267.629US01 Due Date: Febuary 21, 2002

Initials: DJC/jae

Mailed: February 19, 2002 via First Class Mail